

Contractors



We are a small business ran by 2 Electricians.

We really appreciate your help!

06/01/2025

Wire Pulling Marker Booklets

SLIM Packs

Patented "Faster and Better" Design

10-page design offers best value


15 strips, each number 1-24

5 strips, each number 25-42


Our #1 Recommended design

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"


2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by separate color coding"



SPW-1-42



SP208-1-42



SP480-1-42

Wire Pulling Marker Booklets

STANDARD

Patented "Faster and Better" Design


14-page design

15 strips, each number 1-42

Our #1 Selling design

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase ..."


2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by separate color coding ..."



SWH-1-42



208-1-42



480-1-42

Wire Pulling Marker Booklets

STANDARD

Patented "Faster and Better" Design

14-page design


15 strips, each number 43-84

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"


2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by separate color coding"



SWH-43-84



208-43-84



480-43-84

Classic Marker Booklets

Our Version of the Classic styled marker booklets. Our Cover features make them “Faster And Better”.



CLW-0-45

10-page, 10 each number 0-45



CLW-46-90

10-page, 10 each number 46-90




LET-A-Z

10-page, 15 each Letter A-Z
15 each Symbol, #, /, +, -



CLW-AZ-015

10-page, 10 each, Letter A-Z,
Number 0-15, symbol, +, -, /



NUM-0-9

10-page, 45 each number 0-9

Marker Booklet Cross Reference

FAB	Ideal	3M	T&B	F4P	NSI	Panduit
CLW-0-45	44-103	SPB-03	WM-0-45	WM 1-45	WMB-3	PCMB-3
CLW-46-90	44-104	SPB-14	WM-46-90	WM 46-90	WMB-15	PCMB-14
CLW-AZ-015	44-102	SPB-02	WM-A-Z	WM A-Z, 0-15	WMB-2	PCMB-2
NUM-0-9	44-101	SPB-01	WM-0-9M	WM 0-9	WMB-1	PCMB-1
LET-A-Z	44-148	SPB-12	N/A	N/A	WMB-12	N/A


Terminating Marker Booklets

FAB is the only brand to offer Premium Wire Marker Booklets. Our Terminating Wire Marker Booklets offer larger marker strips with larger printed numbers.


Professional Installations with a Premiere Brand using Premium Wire Marker Booklets.

Make an impression with the Best Wire Marker booklets available.


Why pay more for a lesser quality product. These booklets aren't ideal they're **FAB**.




FAB-1-42
10 Page, 10 each number 1-42



FAB-43-84
10 Page, 10 each number 43-84




FAB-85-126
10 Page, 10 each number 85-126




FAB-127-168
10 Page, 10 each number 127-168

Phase Label Booklets


15 Labels each Booklet, each label measures 2-7/8" x 1-5/8"
Laminated with a 7-year UV rated laminate.




120-240-PNL



120-208-PNL




277-480-PNL



480-PNL

2020 NEC 210.5 (C) (1) (b): "Posting of Identification Means. The method utilized for conductors originating within each branch-circuit panelboard ... shall be permanently posted at each branch-circuit panelboard... . The label shall be of sufficient durability to withstand the environment involved and shall not be handwritten."

Labels



GFCI1-2


2-pack

2020 NEC 406.4 (D) (2) (C)
... their cover plates shall be
marked "GFCI Protected"...



EDSD1-5

3.5" x 5", 5-pack
UV Laminated




ARC1-5

3.5" x 5", 5-pack
UV Laminated


2020 NEC 110.16 (A)
"Electrical equipment ...
shall be ... marked to
warn ... of potential arc
flash hazards"

2020 NEC 230.85 "For one-
and two-family dwelling
units, ... (1) Service
disconnects marked as
follows:
EMERGENCY DISCONNECT,
SERVICE DISCONNECT"



CD1-5

5 labels per pk
Each label measures 5-3/4" x 11-3/4"



CD2-10

10 Labels per pk
Each label measures 4.5" x 6.25"

2020 NEC 408.4 (A) "Every
circuit ... shall be legibly
identified ... in a circuit
directory ... of a
panelboard ..."

Label Cards

[illegible]

VLC-120-5
VLC-208-5
VLC-277-5
VLC-480-5

Label Size: 2.25" x .5"

120 VOLTS	120 VOLTS
120 VOLTS	120 VOLTS
208 VOLTS	208 VOLTS
208 VOLTS	208 VOLTS
277 VOLTS	277 VOLTS
277 VOLTS	277 VOLTS
480 VOLTS	480 VOLTS
480 VOLTS	480 VOLTS

VLB-120-5
VLB-208-5
VLB-277-5
VLB-480-5

Label Size: 4.5" x 1.125"

120 VOLTS

208 VOLTS

277 VOLTS

480 VOLTS

VLA-120-5
VLA-208-5
VLA-277-5
VLA-480-5

Label Size: 9" x 2"

Single Legend Marker Cards

[illegible]

Signify legend type in the following format:

MCA-Legend

Example: MCA-1 for #1
MCA-N for Letter N

Sequential Legend Marker Cards

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33

Available types:

MCA-1-33

MCA-34-66

MCA-67-99



MCA-100-124

MCA-125-149

MCA-150-174

Label Sheets


Fire Alarm Device Label Sheets



Devices- 6.1		
A6.3.4	N6.3.4	A6.3.3
N6.3.3	A6.3.2	N6.3.2
A6.3.1	N6.3.1	A6.2.4
N6.2.4	A6.2.3	N6.2.3
A6.2.2	N6.2.2	A6.2.1
N6.2.1	A6.1.4	N6.1.4
A6.1.3	N6.1.3	A6.1.2
N6.1.2	A6.1.1	N6.1.1
A5.3.4	N5.3.4	A5.3.3
N5.3.3	A5.3.2	N5.3.2
A5.3.1	N5.3.1	A5.2.4
N5.2.4	A5.2.3	N5.2.3
A5.2.2	N5.2.2	A5.2.1
N5.2.1	A5.1.4	N5.1.4
A5.1.3	N5.1.3	A5.1.2
N5.1.2	A5.1.1	N5.1.1
A4.3.6	N4.4.6	A4.3.5
N4.4.5	A4.3.4	N4.4.4
A4.3.3	N4.4.3	A4.3.2
N4.4.2	A4.3.1	N4.4.1

N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012

Receptacle Label Sheets

[illegible][illegible]

Miscellaneous

Offset Multiplier	
10°	5.76
15°	3.86
22.5°	2.61
30°	2
45°	1.41
60°	1.15

OFF-MUL

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

Made in the USA

DANGER

DO NOT OPERATE

DO NOT REMOVE THIS TAG

SEE REVERSE SIDE

Equipment Locked Out By:

NAME: _____

COMPANY: _____

PHONE: _____

DATE: _____

TIME: _____

TAG/KEY: _____

NOTES: _____

LOTO1

with downloadable tracking form

Made in the USA

DANGER

DO NOT OPERATE

DO NOT REMOVE THIS TAG

SEE REVERSE SIDE

COMPLEX LOCKOUT

Qualified Person: _____

Phone: _____

Company: _____

Date: _____

Time: _____

Key: _____

Circuits Locked out: _____

Duration: _____

LOTO2

Complex Loto Tag

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40

240-HH

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42


208-HH

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42

480-HH


10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"



OHM-LAW


10 stickers per pack
Each sticker measures 2.5"

Miscellaneous



CDP1-1

Circuit Directory Pocket, sticky back
5.5" x 7.5", Includes 1 circuit directory label
1 per pack



MAIN	MASTER BDRM RCPTS 1
REFRIGERATOR	KITCHEN RCPTS 2
FREEZER	KITCHEN LIGHTS
RANGE	MASTER BATH RCPTS
DISPOSAL	FAMILY RM RCPTS
COMPACTOR	FAMILY RM LIGHTS
DISHWASHER	LIVING RM RCPTS
HEATING 1	LIVING RM LIGHTS
HEATING 2	BEDROOM 1 RCPTS
AIR COND 1	BEDROOM 2 RCPTS
AIR COND 2	BEDROOM 3 RCPTS
WATER HEATER 1	DEN RCPTS
WATER HEATER 2	OFFICE RCPTS
WASHER	UTILITY RCPTS
DRYER	UTILITY LIGHTS

BATH 1 GFCI	SUMP PUMP	GARAGE DOOR
BATH2 GFCI	RV RCPT	GARAGE RCPTS
BATH 3 GFCI	FOUNTAIN RCPT	GARAGE LITS
EXTERIOR LITS	HOT TUB	SHED RCPT
EXTERIOR LITS	GARDEN RCPT	SEASONAL YARD RCPT
FREEZER	GARDEN LITS	GATE
GARAGE FRIDGE	SEASNL EAVE RCPTS	ENTERTNMNT SYSTEM
EV CHARGER	SOLAR	COMM RCPT
WELDER RCPT	GENERATOR	BACKUP POWER
POOL HEATER	PATIO RCPTS	INTERNET ROUTER
SECURITY SYSTEM	PATIO LITS	PLAYROOM
FIREPLACE	BARBECUE	GARDEN RCPT
SMOKE DETECTOR	SUNROOM RCPTS	GARDEN LITS
WATER PUMP	SUNROOM LITS	POND
ELECTRIC FENCE	ATTIC RCPT	EXHAUST FAN

RES-PNL


10-page booklet
5 pages of each type
Vinyl labels

Each label measures
Approx. 1.6" x .21"
Works great with our
CD2 circuit directory

Custom Labels


SOLAR PV SYSTEM EQUIPPED WITH RAPID SHUTDOWN

TURN RAPID SHUTDOWN SWITCH TO THE "OFF" POSITION TO SHUT DOWN PV SYSTEM AND REDUCE SHOCK HAZARD IN THE ARRAY



 **WARNING**

DUAL POWER SOURCE
SECOND SOURCE IS PV SYSTEM



 **WARNING**

PHOTOVOLTAIC DC DISCONNECT
ELECTRIC SHOCK HAZARD

TERMINALS ON BOTH THE LINE AND LOAD SIDE
MAY BE ENERGIZED IN THE OPEN POSITION

INPUT 1 INPUT 2 INPUT 3
1000VDC 1000VDC 1000VDC
MAXIMUM VOLTAGE: 18ADC 18ADC 18ADC
MAXIMUM CIRCUIT CURRENT: 18ADC 18ADC 18ADC

WARNING: PHOTOVOLTAIC POWER SOURCE

NOTICE

PHOTOVOLTAIC SYSTEM AC
DISCONNECT AND POWER SOURCE
RATED OUTPUT CURRENT: 725 AAC
NOMINAL OPERATING VOLTAGE: 480 VAC

 **WARNING**

THIS EQUIPMENT FED BY MULTIPLE SOURCES
TOTAL RATING OF ALL OVERCURRENT DEVICES,
EXCLUDING MAIN SUPPLY OVERCURRENT DEVICE,
SHALL NOT EXCEED AMPACITY OF BUSBAR.

RAPID SHUTDOWN SWITCH
FOR SOLAR PV SYSTEM

1	13	25	37
3	15	27	39
5	17	29	41
7	19	31	Disconnect
9	21	33	
11	23	35	Service
2	14	26	
4	16	28	Main
6	18	30	
8	20	32	38
10	22	34	40
12	24	36	42

43	55	67	79
45	57	69	81
47	59	71	83
49	61	73	Disconnect
51	63	75	
53	65	77	Service
44	56	68	
46	58	70	Main
48	60	72	
50	62	74	80
52	64	76	82
54	66	78	84

A B C



PHASE ROTATION

A B C




PHASE ROTATION

HIGH LEG
ON
B PHASE

HIGH LEG
ON
C PHASE

Aluminum Sign



DS1-1 7" x 10", 1/4" mounting holes

Distributors



Gilbert, AZ
 Gilbert South, AZ
 Tolleson, AZ
 Anaheim, CA
 Riverside, CA
 Stapleton, CO
 Athens, GA
 Livonia, MI
 West Columbia, SC
 San Antonio, TX (Downtown)



Banning, CA
 Orange, CA
 Visalia, CA
 Boise, ID
 Nampa, ID
 Bozeman, MT
 Ardmore, OK
 Bartlesville, OK
 Coffeyville, KS
 Enid, OK
 Lawton, OK
 Oklahoma City, OK
 Ponca City, OK
 Tulsa, OK



"...always in stock at inline."



(Vendor # 0600058543)



Don't see yours?
 Help us out and place an order with them.

Code references throughout this catalog are merely references, refer to the authority having jurisdiction before making purchases. No warranty of merchantability, fitness for a particular purpose or consequential damages.

2020 NEC 90.4 Enforcement. "... The authority having jurisdiction for enforcement of the Code has the responsibility for making interpretations of the rules, for deciding on the approval of equipment and materials"

Contact Information

FAB Electrical Products

Ryan Cleghorn (909) 238-8107

fabelectricalproducts@gmail.com

www.fabelectricalproducts.com



