

Contractors



We are a small business ran by 2 Electricians.

We really appreciate your support!

Wire Pulling Marker Booklets

SLIM Packs

10-page design offers best value

15 strips, each number 1-24

5 strips, each number 25-42



Wire Pulling Marker Booklets

STANDARD

Patented "Faster and Better" Design


14-page design

15 strips, each number 1-42


Our #1 Selling design

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"


2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by separate color coding"



SWH-1-42



208-1-42



480-1-42

Wire Pulling Marker Booklets

STANDARD

Patented "Faster and Better" Design

14-page design


15 strips, each number 43-84

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"


2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by separate color coding"



SWH-43-84




208-43-84




480-43-84

Classic Marker Booklets




CLW-0-45

10-page, 10 each number 0-45




CLW-46-90

10-page, 10 each number 46-90



CLW-090-AZ

4 Pages: CLW-0-45
4 Pages: CLW-46-90
2 Pages: CLW-AZ-015




LET-A-Z

10-page, 15 each Letter A-Z
15 each Symbol, #, /, +, -



CLW-AZ-015

10-page, 10 each, Letter A-Z,
Number 0-15, symbol, +, -, /




NUM-0-9

10-page, 45 each number 0-9

Marker Booklet Cross Reference

FAB	Ideal	3M	T&B	F4P	NSI	Panduit
CLW-0-45	44-103	SPB-03	WM-0-45	WM 1-45	WMB-3	PCMB-3
CLW-46-90	44-104	SPB-14	WM-46-90	WM 46-90	WMB-15	PCMB-14
CLW-090-AZ	N/A	N/A	WM-A-90	N/A	WMB-190	PCMB-8
CLW-AZ-015	44-102	SPB-02	WM-A-Z	WM A-Z, 0-15	WMB-2	PCMB-2
CLW-0-9	44-101	SPB-01	WM-0-9M	WM 0-9	WMB-1	PCMB-1
CLW-A-Z	44-148	SPB-12	N/A	N/A	WMB-12	PCMB-12

Terminating Marker Booklets




FAB-1-14

10 Page, 30 each number 1-14



FAB-1-42

10 Page, 10 each number 1-42




FAB-43-84

10 Page, 10 each number 43-84

Save \$\$\$ on Labor and Material costs by using our high number booklets as opposed to a 0-9 booklet

DO THIS → **168** ← DON'T DO THIS



FAB-85-126

10 Page, 10 each number 85-126



FAB-127-168


10 Page, 10 each number 127-168

Terminating Marker Booklets




T208-1-42

10 Page, 10 each number 1-42



T208-43-84

10 Page, 10 each number 1-42




T480-1-42


10 Page, 10 each number 1-42

Phase Label Booklets


15 Labels each Booklet, each label measures 2-7/8" x 1-5/8"
Laminated with a 7-year UV rated laminate.




120-240-PNL



120-208-PNL




277-480-PNL



480-PNL

2020 NEC 210.5 (C) (1) (b): "Posting of Identification Means. The method utilized for conductors originating within each branch-circuit panelboard ... shall be permanently posted at each branch-circuit panelboard... . The label shall be of sufficient durability to withstand the environment involved and shall not be handwritten."

Labels



GFCI1-2


2-pack

2020 NEC 406.4 (D) (2) (C)
... their cover plates shall be
marked "GFCI Protected"...



EDSD1-5

3.5" x 5", 5-pack
UV Laminated




ARC1-5

3.5" x 5", 5-pack
UV Laminated


2020 NEC 110.16 (A)
"Electrical equipment ...
shall be ... marked to
warn ... of potential arc
flash hazards"

2020 NEC 230.85 "For one-
and two-family dwelling
units, ... (1) Service
disconnects marked as
follows:
EMERGENCY DISCONNECT,
SERVICE DISCONNECT"



CD1-5

5 labels per pk
Each label measures 5-3/4" x 11-3/4"




CD2-10


10 Labels per pk
Each label measures 4.5" x 6.25"

2020 NEC 408.4 (A) "Every
circuit ... shall be legibly
identified ... in a circuit
directory ... of a
panelboard ..."

Labels



PHR-CCW-5
5 labels per pack
Each label measures 3" x 3"



PHR-CW-5
5 labels per pack
Each label measures 3" x 3"




HLO-APH-5
5 labels per pack
Each label measures 3" x 3"




HLO-BPH-5
5 labels per pack
Each label measures 3" x 3"




HLO-CPH-5
5 labels per pack
Each label measures 3" x 3"



MEP1-1
3.5" x 5", UV Laminated





EPI1-1
3.5" x 5", UV Laminated



EP1-1
3.5" x 5", UV Laminated

Label Sheets


Fire Alarm Device Label Sheets



Devices- 6.1		
A6.3.4	N6.3.4	A6.3.3
N6.3.3	A6.3.2	N6.3.2
A6.3.1	N6.3.1	A6.2.4
N6.2.4	A6.2.3	N6.2.3
A6.2.2	N6.2.2	A6.2.1
N6.2.1	A6.1.4	N6.1.4
A6.1.3	N6.1.3	A6.1.2
N6.1.2	A6.1.1	N6.1.1
A5.3.4	N5.3.4	A5.3.3
N5.3.3	A5.3.2	N5.3.2
A5.3.1	N5.3.1	A5.2.4
N5.2.4	A5.2.3	N5.2.3
A5.2.2	N5.2.2	A5.2.1
N5.2.1	A5.1.4	N5.1.4
A5.1.3	N5.1.3	A5.1.2
N5.1.2	A5.1.1	N5.1.1
A4.3.6	N4.4.6	A4.3.5
N4.4.5	A4.3.4	N4.4.4
A4.3.3	N4.4.3	A4.3.2
N4.4.2	A4.3.1	N4.4.1

N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012

Receptacle Label Sheets

[illegible][illegible]

Miscellaneous

Offset Multiplier	
10°	5.76
15°	3.86
22.5°	2.61
30°	2
45°	1.41
60°	1.15
	

OFF-MUL

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"



LOTO1

with downloadable tracking form



LOTO2

Complex Loto Tag

1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16
17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32
33	34	35	36
37	38	39	40
			

240-HH

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
					

208-HH

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
					


480-HH

10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36
37	38	39	40	41	42
					

Custom Colors


Each sticker measures 1-3/4" x 2-3/4"



240-HH


10 stickers per pack
Each sticker measures 1-3/4" x 2-3/4"

Miscellaneous



CDP1-1

Circuit Directory Pocket, sticky back
5.5" x 7.5", Includes 1 circuit directory label
1 per pack



MAIN	MASTER BDRM RCPTS
REFRIGERATOR	MASTER BDRM LITS
FREEZER	MASTER BATH RCPTS
RANGE	MASTER BATH LITS
DISPOSAL	BEDROOM 1 RCPTS
COMPACTOR	BEDROOM 1 LITS
DISHWASHER	BEDROOM 2 RCPTS
HEATING 1	BEDROOM 2 LITS
HEATING 2	BEDROOM 3 RCPTS
AIR COND 1	BEDROOM 3 LITS
AIR COND 2	BEDROOM 4 RCPTS
WATER HEATER 1	BEDROOM 4 LITS
WATER HEATER 2	BEDROOM 5 RCPTS
WASHER	BEDROOM 5 LITS
DRYER	EXTERIOR LITS

BATH 1 GFCI	GARAGE DOOR
BATH2 GFCI	GARAGE RCPTS
BATH 3 GFCI	GARAGE LITS
EXTERIOR LITS	SHED RCPT
EXTERIOR LITS	SEASONAL YARD RCPT
FREEZER	GATE
GARAGE FRIDGE	GARDEN LITS
EV CHARGER	SEASNL LEAVE RCPTS
WELDER RCPT	SOLAR
POOL HEATER	GENERATOR
SECURITY SYSTEM	PATIO RCPTS
FIREPLACE	PATIO LITS
SMOKE DETECTOR	BARBECUE
WATER PUMP	SUNROOM RCPTS
ELECTRIC FENCE	SUNROOM LITS
	ATTIC RCPT
	EXHAUST FAN

RES-PNL

10-page booklet
5 pages of each type
Vinyl labels

Each label measures
Approx. 1.6" x .21"
Works great with our
CD2 circuit directory




NEW!

Miscellaneous

NEW!

LAM-1-3

10-Page Self-Laminating Write-on Label booklet.
1" x 3" Labels, 60 Labels per Booklet



Non-Stock Items

1	13	25	37	
3	15	27	39	
5	17	29	41	
7	19	31		Disconnect
9	21	33		
11	23	35		Service
2	14	26		
4	16	28		Main
6	18	30		
8	20	32	38	
10	22	34	40	
12	24	36	42	

43	55	67	79	
45	57	69	81	
47	59	71	83	
49	61	73		Disconnect
51	63	75		
53	65	77		Service
44	56	68		
46	58	70		Main
48	60	72		
50	62	74	80	
52	64	76	82	
54	66	78	84	

 DANGER	
Flash & Shock Hazard w/lt Covers or Doors Open Appropriate PPE Required	
20 ft 4 in 79.59 cal/cm² DANGER - NO SAFE PPE EXISTS	Arc Flash Boundary Incident Energy at 2 ft
480 VAC 00 3 ft 6 in 1 ft	Shock Hazard when cover removed Class rubber insulating gloves Limited Approach Boundary Restricted Approach Boundary
Location EVS8-1 MCB	
Date: 08-12-25	
FAB Electrical Products	

 WARNING	
ARC FLASH AND SHOCK HAZARD APPROPRIATE PPE REQUIRED	
2 ft 1 in 2.11 cal/cm² Required PPE	Arc Flash Boundary Incident Energy at 1 ft 6 in Arc rated clothing required (See NFPA 70E Table 130.5(G) for PPE requirements)
480 VAC 00 3 ft 6 in 1 ft	Shock Hazard when cover removed Class rubber insulating gloves Limited Approach Boundary Restricted Approach Boundary
Location BUS-DC-1	
Date: 08-12-25	
FAB Electrical Products	



Gilbert, AZ
 Gilbert South, AZ
 Tolleson, AZ
 Anaheim, CA
 Riverside, CA
 Commerce City, CO
 Englewood, CO
 Stapleton, CO
 Port St. Lucie, FL
 Titusville, FL
 Athens, GA
 Livonia, MI
 Novi, MI
 Waterford, MI
 Aiken, SC
 NE Columbia, SC
 West Columbia, SC
 Garland, TX
 San Antonio, TX (Downtown)
 South Houston, TX
 Dulles, VA
 Manassas, VA



"...always in stock at inline."



Haltom City, TX
 Mansfield, TX



Banning, CA
 Orange, CA
 Merced, CA
 Modesto, CA
 Paso Robles, CA
 San Carlos, CA
 San Luis Obispo, CA
 Santa Maria, CA
 Visalia, CA
 Fort Collins, CO
 College Park, GA
 Shreveport, LA
 Bozeman, MT
 Cleveland, OH
 Ardmore, OK
 Bartlesville, OK
 Coffeyville, KS
 Edmond, OK
 Enid, OK
 Lawton, OK
 Oklahoma City, OK
 Ponca City, OK
 Tulsa, OK



Find Us On:



Code references throughout this catalog are merely references, refer to the authority having jurisdiction before making purchases. No warranty of merchantability, fitness for a particular purpose or consequential damages.

2020 NEC 90.4 Enforcement. "... The authority having jurisdiction for enforcement of the Code has the responsibility for making interpretations of the rules, for deciding on the approval of equipment and materials"

Contact Information

FAB Electrical Products

Ryan Cleghorn (909) 238-8107

fabelectricalproducts@gmail.com

www.fabelectricalproducts.com



